Device Manager NX Lite Device Management Solution See how easy fleet management can be





Ricoh Device Manager NX Lite

Seamless device management from the desktop.

Your print environment is evolving—keep pace with RICOH® Device Manager NX Lite. This innovative PC-based utility simplifies management and installation for networked Ricoh output devices and offers dynamic, centralized monitoring as well—for third party devices also. It leverages advanced capabilities found only in services-led platform Ricoh devices to optimize fleet efficiency, streamline workflow and reduce total cost of ownership. Network administrators can clone select device features for fast, convenient device configuration via an intuitive, user-friendly interface. Developed for small- to mid-size accounts, Device Manager NX Lite is a powerful, versatile utility that enables users to allocate existing resources more effectively and foster continuous improvement.

The Ricoh Device Manager NX LIte offers
centralized administration for efficient
networked output device management.

	ALCORD NEL DR	K		And And	
201	Denke Manage		Syntae Proter Copier St	cant fair court	
RI	COH Device Manage		MAC Address System Process	172.14.28	
- 10 M	10 (Dec. 10	a Sera sera norm	11 M N 86855C	\$72.88.28	
			ALL NO. 74 (05-80-76	172.18.29	
0-	Depler Hant	1000000000 100000000000000000000000000	05-05-74-05-75-75 U	172.18.20	
1000				() 172.18.29	
100				O 172.16.20	
. () max	Categori	01(172162814) 102112814 U8060724620	BOD NEISSE U U U U	1721628	
		p(12:14:39:34) 172:11.2121 VY380488014	BERLINDSFREE () () () () () () () () () () () () ()		
6	AND STOL	17110130 200 1771121120 LANOSTONIO	10 05 THE 35 00 U U U U	U 172.98.38	
Ø.		17238-3818) 17238-3818 (JBR/912038 0	NAC 7401-08-01	172.16.38	
6A			nachupcaeae U	872 16.119	
			MEDILAD POAC () () SHERI CALL	172 16.28	
			ADIN CAERSE () [] [] .	172 16 20	19 A
6.450	AND		05-74-20-58-52 () 🖸	172.16.119	
(AND	CARE SALAR BORITS			1/218118	
Catal Catal	C.35E	116 38 39 102 18 38 38 Select and	1.004E 40 🚺 🥵	1/2/8/10	
Cata Cata Cata	0.000 (2.400-0000000000000000000000000000000000	1.16.39.20 112.38.20 Sectore 1.1 2.65.119.20 112.19.20 Statements 03-0	10.71.00.8E40 🚺 🤮	1/2/01/0	
Catal Catal Catal Catal	ALIAN SALAN ADALAR ALIAN SALAN ADALAR ALIAN SALAN ADALAR ALIAN ADALAR	246 39 29 12 24 24 29 Statements (240 246 19 29 12 12 24 21 24 25 Statements (240	10.71.00.8E40 🚺 🤮	12210-00	
Gatas Gatas Gatas Gatas Gatas	ALIAN SALAN ADALAR ALIAN	Use 24 20 USE 22 Service 2400 Second 20 USE 25 Service 20 Control 24 USE 25 Service 25 Control 24 C	10.71.00.8E40 🚺 🤮		
Gatas Gatas Gatas Gatas Gatas Gatas	ALIAR SALAR POLICIA ALIAR SALAR POLICIA ALIAR SALAR POLICIA ALIAR CONTRACTOR ALIAR CONTRACTOR ALIAR CONTRACTOR ALIAR CONTRACTOR ALIAR CONTRACTOR	2143200 S22021232 Sectores 214376300 S22021232 S20000056 OD-0 20176300 S22021232 S20000566 Access Ac Access & Catology 72.54.25 (6)	20.74:064649 🕐 🧐 ecourt Setingt Date bootailed	TL04.0011 16-56-56	
Catal Catal Catal Catal Catal Catal Catal	Alter of South Constants	Use 24 20 USE 22 Service 2400 Second 20 USE 25 Service 20 Control 24 USE 25 Service 25 Control 24 C	10.710.0546549 🕐 🥂	11_0%(2011 16:55:56 /Apple MP-04500	3
Catal Catal	Alexand Alexand Alexand Alexandre Alexand Alexandre A	2143200 S22021232 Sectores 214376300 S22021232 S20000056 OD-0 20176300 S22021232 S20000566 Access Ac Access & Catology 72.54.25 (6)	10.75-05-65 49 0 Miles ecount Serings Date Involution Date Involution Auder Name	TL04.0011 16-56-56	
Catal Catal	All Section 2017 All Section	24.9328 122.9.232 Set 24.44 26.1437 (22.9.232) Southernet 0.04 20.44 Country Catolog Auguster Access & Catolog 23.45 (0) 172.1427.14	pp 71:00-86 40 20 50 eccount Setings Date Registered Made Name Yeat Name	11_0%(2011 16:55:56 /Apple MP-04500	
Cana Cana Cana Cana Cana Cana Cana Cana	Anne of Aller Friday, Str. 2000 Anne of Aller Friday, Str. 2000 Anne of Aller Friday, Str. 2000 Friday, Str. 2000 Str. 2000 Str	24/3128 1223/223 Sette damin 10/15/201128 Sette damin 2016 Contex Calour Avgenter Access & Conte	ID 71:00-00 4 10 10 10 10 10 10 10 10 10 10 10 10 10	FLCR.0011 16:55:56 Addb MP-C4500 HGD 41M Appe8500-08 Routh	
Cana Cata Cata Cata Cata Cata Cata Cata	ALSESANE FORCE ALSESANE FORCE ALSESANE FORCE FORANE FORCE FORANE FORCE FORANE FORCE FORCEASE	24/3120 1223/223 Sette Januar 1223/223/223 State Januar 2016 Contest Calculus Properties Access Access & Cetations Transfer Access A Access & Cetation 21/223/211 Access & Cetation 21/223/21	pp 71:00-86 40 20 50 eccount Setings Date Registered Made Name Yeat Name	F1.CR.2011 19:55:56 Addes MP C4500 hg82-ptm-appe:550-CP JBcoh Le000000000	
Canadia Conadia Conadia Conadia Conadia Conadia Conadi	ALSEE A	24/3120 1223/223 Sette Januar 1223/223/223 State Januar 2016 Contest Calculus Properties Access Access & Cetations Transfer Access A Access & Cetation 21/223/211 Access & Cetation 21/223/21	ID 71:00-00 4 10 10 10 10 10 10 10 10 10 10 10 10 10	11.01.0011 19:55:56 Aacto MP C4500 19:00-9:07-49:0530-04 Bittom Later0300060 Jorvitz LanketSS	
Cana Cata Cata Cata Cata Cata Cata Cata	ALSES ANALY CONTRACT CARD ANA	24.9326 122.9323 3440 Januari 34.9326 122.93233 3460 Januari 2.9476 2012 122.93233 3460 Januari 2.9466 2012 122.9323 347 Acts of Geology 2.94.231 40 Acts of Geology 2.94.21 40 Acts of	20.074.05485 40 20 20 20 eccurt Safrags Data Rupithesd Mudai Name Yeadt Name Serio Number	F1.CR.2011 19:55:56 Addes MP C4500 hg82-ptm-appe:550-CP JBcoh Le000000000	
Cana Cana Cana Cana Cana Cana Cana Cana	ALSER AL	24/3120 1223/223 Setter damen 10219/2021 223/223 Setter damen 2019/2021 223/223 Setter damen 2019/2021 223/223 Setter damen 2019/2021 223/223 Setter damen 2019/223/223 Setter damen 2019/223	20.07.00.485 40 20 20 Party International Data Registered Mode Name Treat Name Venate Name Seriel Manfor Lacabon	11.01.0011 19:55:56 Aacto MP C4500 19:00-9:07-49:0530-04 Bittom Later0300060 Jorvitz LanketSS	
Cana Cana Cana Cana Cana Cana Cana Cana	ALSES AND THE CONTROL OF A CONT	24.5326 1223/232 Sette damin 1223/232 1223/232 Sette damin 2.5476 2012 23112 Sette damin 4.546 Sette Context (Calculus Regarding Access & Cont	20.35.05.45.40 (2) (2) ecount Surings (2) (2) (2) (2) (2) (2) (2) (2) (2) (2)	11.00.0011 18:45:56 Aucos MP C4500 1402-ptm-ago-1500-64 Jacob Laboo300006 JOVICZ LAMLESS 45	
Const Const	ALIANS ALARY CONTRACT ALARY CONTRACT CONTRACT ALARY CONTRACT CONTRACT ALARY CONTRACT CONTRA	24/3128 122.8/2.8/23 34/14.9/14.9/14.2/23.128/24.2004/001646/40.004 a/34/24.2004/27.234.218/00 a/34/24.2004/27.234.218/00 7/22.15/22.16 a/34/24.16 a/24/24.218/2014 a/24/24.218/2014 a/24/24.218/24.218 a/24/24.218 a/24.218 a/24.218 a/24.218 a/24.218 a/24.218 a/24.218 a/24.218 a/24.21	20.074.0548 4 2 Market Count Serings Date Installed Date Installed Date Registered Maak Name Pred Name Serie Namicor Locidon Prod Serie Namicor Serie Namicor Serie Namicor Progeness Fol Time Properties Fol Time	FLORIDOT 19 46 56 Addo MP C4600 900 4111 Ago 4500-01 9004 4000300000 JOYCE LANKEDS 45 11400011 00 58/24 11400011 00 58/24	
A to compare	ALSE AND	24:3230 1223/232 3440 damin 1523/232 323 3440 damin 2011/232 3223/232 5000000156 00.4 2010/2 223/232 22 2010/2 22	No 25 COR 44 CO MARCON COR 44 CO MARCON COR 45 COR	11.00.0011 18:45:56 Acces MP C4500 1402-8171 - apo 6503-00 Mouh Laboosoono John Z Lahk LESS 45 11.60.0011 02:5024	
a son a son	ALSE ALSE ALSE ALSE ALSE ALSE ALSE ALSE	214 3120 1223/232 Sette damin 214 3120 1223/232 Sette damin 214 3120 1223/232 Sette damin 214 3120 1223/232 Sette damin 2010 Context Calculation 2010 Context Calculation	20.75.05.45.4 2 Second	11.00.0011 19:55:56 Jacob MP C4500 Jacob MP C4500 Jacob MP C4500 Later00000080 John Z Lank ESS 45 11.4000011 09:8024 11.4002911 09:56:24 11.4002911 09:56:24	
Const Const	ALSE AND	24:3230 1223/232 3440 damin 1523/232 323 3440 damin 2011/232 3223/232 5000000156 00.4 2010/2 223/232 22 2010/2 22	No 25 COR 44 CO MARCON COR 44 CO MARCON COR 45 COR	FLORIDOT 19 46 56 Addo MP C4600 900 4111 Ago 4500-01 9004 4000300000 JOYCE LANKEDS 45 11400011 00 58/24 11400011 00 58/24	

IntuitiveVersatileAdaptableProactive

Efficient Fleet Management

Device Manager NX Lite automates the discovery, monitoring and management of networked output devices from a centralized platform.

- Check status and activity for up to 250 Ricoh and non-Ricoh devices in your network fleet quickly using the intuitive interface.
- Establish standardized settings using Batch Configuration for Ricoh devices to standardize workflow and improve productivity.
- Perform compliance checks on Ricoh devices to identify devices with settings inconsistent with established policies.
- Create and categorize groups of devices based on selected criteria using manual grouping in addition to automatic grouping.

Advanced Capabilities

Access additional functionality when integrated with state-of-the-art services-led platform Ricoh devices for more flexible, convenient and cost-effective management.

- Streamline installations with easy-to-use device templates. Clone select settings on one services-led platform device and assign it to other like models.
- Set and adhere to standardized policies quickly and accurately with easy configuration of multiple network devices.
- Enable pop-up alert notifications for 19 specific device conditions.
- Detect Ricoh installed applications in Ricoh devices.

Proactive Maintenance and Response


A clear, detailed view of network output devices enables administrators to identify problems and to troubleshoot devices quickly for optimal convenience.

- Monitor a wide range of device properties that are essential to day-to-day productivity—including consumable levels, paper supplies and other service conditions—to ensure workflow is never compromised.
- Add, remove or drag and drop display columns to ensure device information is personalized and tailored to your desired format.

A Family of Device Management Solutions

Take advantage of a wide range of advanced tracking and management capabilities that can adapt seamlessly with your ever-changing fleet.

- Grow your fleet and manage it effectively as your business grows. The versatile, scalable Device Manager NX family will include a wide range of available fleet management solutions for virtually any sized organization.
- Accommodate a wide range of complementary services—including automated meter collection and Cloud-based fleet reports—with the addition of Ricoh's @Remote Intelligent Remote Management System.
- Review firmware levels and develop a strategic plan for upgrades.



Use device templates to quickly clone select settings on one Ricoh services-led platform device and assign it to other like models.

Text Filter	Sava Mar At				
Dissisy Name	Centre Avenue	Const Number	NAC ADDRESS	-	
ARIN NO CS000(172 18 28 22)	172.96.20.22	1120200014	00-00-14-06-74-06	¢	
ANU	17216-2015	L0906120808	05-00-74-81-25-99	é	
ARINA MP C1600(172 18 08 26)	17219-20.20	LINCT 20104	08-00-14-01-05-07	ï	
Anten MP C2800(17218-28.30)	17216-2030	L898623356	00-00 T4 DC DE DG	C	
ANSI NP CAREP(172 18/18/37)	172 96.916.37	\$1919200017	00 26 73 14 96 80	C	
Antes MP C4500(17216120.30)	172.96.920.36	LS086721128	00-00-74-81-07-68	¢	
ARE ARE CONTRACT A	17216.915.08	1773000000	00-00-14-07-0.4-00	¢	
Anew MP CRIMIT 72.16 (198.194)	172.96.916.354	11 205200114	00-00-74-07-10-63	¢	
Anow NP C3800(172/16/129.30)	172.96.920.30	LININGZIER	00-00-14-04-05-00	¢	

Administrators can group devices manually or automatically for fast, easy identification and status updates.



Receive on-screen notifications of status changes for any device on the network.

Ricoh Device Manager NX Lite

Specifications



Device Manager NX Lite is an innovative, intelligent network utility that offers centralized administrationincluding comprehensive management for services-led platform Ricoh devices and convenient monitoring for non-Ricoh devices—to enhance productivity and minimize labor for IT staff in midsize accounts.

System Requirements

Recommended:

CPU: Core2Duo 2.0GHz RAM: 2.0GB HDD: 500MB free space Internet access for activation

Client Operating System:

Windows[®] XP Home/Professional SP3 and later (32bit)

Windows® Vista Home Premium/Business/ Enterprise/Ultimate SP2 and later (32bit)

Windows® 7 Home Premium/Professional/ Enterprise/Ultimate SP1 and later (32bit/64bit)

Database: Firebird[®] Internal DB included

Protocols:

SNMP v1/v2/v3 HTTP HTTPS (client only) DNS FTP/SFTP LDAP (Type R only) IPv4

Security: Hash: SHA-256 and higher

Virtualization: Not supported

Supported Devices:

General Support:

- Networked Ricoh MFP and Laser Printers introduced in 2005 and later
- Networked Ricoh Geljet and GDI controller devices
- Networked standard MIB devices
- Enhanced Support:
- Services-led platform networked Ricoh devices introduced in 2012 and later



CORE Business Technologies 2224 Pawtucket Avenue East Providence, RI 02914

1.800.234.CORE (2673) www.corebtech.com info@corebtech.com

Ricoh Americas Corporation, Five Dedrick Place, West Caldwell, NJ 07006 Ricoh² and the Ricoh logo are registered trademarks of Ricoh Company, Ltd. All other trademarks are the property of their respective owners. The content of this document, and the appearance, features and specifications of Ricoh products and services are subject to change from time to time without notice. Products are shown with optional features. While care has been taken to ensure the accuracy of this information, Ricoh makes no representation or warranties about the accuracy, completeness or adequacy of the information contained herein, and shall not be liable for any errors or moissions in these materials. Actual results will aval generating uperformance or the products and services, and the conditions and factors affecting performance. The only warranties for Ricoh products and services are as set forth in the express warranty statements accompanying them.

